

- Walton, J. (1987). Theory and Research on Industrialization. *Annual Review of Sociology*, 13, 89–108.
- Wilson, W. (1987). *The Truly Disadvantaged: The Inner City, The Underclass, and Public Policy*. Chicago: University of Chicago Press.
- Williamson, O. (1981). The Economics of Organization. *American Journal of Sociology*, 87, 548–577.
- Wolff, E. (1992). Changing Inequality Of Wealth. *American Economic Review*, 82, 553–558.
- Wright, E. O., & Martin, B. (1987). The Transformation Of The American Class Structure, 1960–1980. *American Journal of Sociology*, 93, 1–29.
- Wright, E. O. (1985). *Classes*. London: Verso.
- Zuboff, S. (1988). *In the Age of the Smart Machine*. New York: Basic Books.

THE MOVEMENT OF PHYSICIANS BETWEEN SPECIALTIES

Jerry A. Jacobs, Ann Boulis and Carla Messikomer

ABSTRACT

While the specialty choice of physicians has been extensively studied, a companion topic, specialty change (or inter-specialty mobility), has been all but neglected. In this chapter we document age-specific rates of inter-specialty mobility. Data on over 500,000 physicians included in the AMA Physician Masterfile are analyzed. We compare the rates of movement obtained when different definitions of specialty change are employed, and report the proportion of movement which is attributable to sub-specialization. We develop and test four hypotheses regarding the age profile of specialty change. We also estimate a multi-variate model of the determinants of specialty change. We note the significance of physicians' career mobility for discussions of reform in the health care delivery system. These results provide a baseline for assessing the effects of health care reforms on physicians' careers.

INTRODUCTION

The recent discussion of health care policy reform has raised many issues, including appropriate size of the physician labor force (Ginzberg, 1996; Institute of Medicine, 1996, American College of Physicians, 1994; Cohen & Todd, 1994). Some have suggested the need to increase the share of generalists relative to specialists as part of an effort to reduce costs and improve access to

Research in Social Stratification and Mobility, Volume 18, pages 63–95.
Copyright © 2001 by Elsevier Science Inc.
All rights of reproduction in any form reserved.
ISBN: 0-7623-0752-8

quality medical care (Rivo & Kindig, 1996; Colwill et al., 1997). However, the degree to which practicing physicians may exhibit flexibility with respect to specialty and other practice characteristics has received little empirical scrutiny. The responsiveness of practicing physicians to policy reforms, whatever shape those reforms may eventually take, is an important but neglected aspect of policy discussions (Christakis et al., 1994). In this chapter we analyze data from the 1990s on the movement of physicians between specialties. These results will provide a baseline against which the consequences of reform may be measured, and will provide insights into the dynamics of physicians' careers.

Our analysis focuses on the age trajectory of career moves. We develop four partly competing hypotheses regarding the age patterns of specialty changes. The analysis documents rates of entry and exit for major specializations. We also examine the attributes of physicians that affect the likelihood of making a specialty change.

INTRA-PROFESSIONAL MOBILITY

The sociological study of occupational mobility has developed a range of statistical techniques for examining mobility patterns (Blau & Duncan, 1967; Erikson & Goldthorpe, 1992; Featherman & Hauser, 1978). The core research in this area has focused on inter-generational mobility patterns, with less emphasis devoted to intra-generational mobility. Studies of career mobility have generally conceptualized mobility as changing occupations, with considerably less attention paid to movement within specific occupations (Rosenfeld, 1992). Evans and Laumann (1983) have found significant exit rates from professional occupations, including law and medicine, although the incidence of exit from these fields was among the lowest of the professions examined. Less studied, however, is the extent of movement within professions. Our objective is to document the rate of migration between specialty areas after the initial specialty choice has been made.

A principal assumption in the extensive specialty choice literature is that physicians tend to remain in the specialties they train for and enter at the commencement of their careers (Colwill et al., 1997; Ernst & Yett, 1985). Studies of the physician labor force also assume that specialty choice tends to remain stable over the careers of physicians (Council on Graduate Medical Education, 1992). As a first approximation, this assumption is perfectly reasonable. Lengthy, arduous and expensive medical training ends with demanding residencies and fellowships, which lead physicians into their chosen specialties. Medical students choose specialties with great care (Murtha

et al., 1997; Kassebaum & Szenas, 1994; Ernst & Yett, 1985). These choices are fateful because the nature of practice varies so widely across fields, with cognitive, lifestyle and financial implications, and because movement between fields is difficult.

Yet this first approximation can be improved upon. Some physicians do change their field of practice. Knowing the number of physicians who change, when they change, which fields they leave and which fields they enter will help us better understand medical staffing concerns and physicians' careers.

Studies of specialty choice have emphasized that prospective medical students settle on a specialty choice quite late in their medical school training (Mutha et al., 1997; Ramsdell, 1983). Only a small minority of medical students has settled on a particular field of practice at the start of medical school (perhaps as low as 10%), and a significant minority remain uncertain at the end of medical school (perhaps as many as 25%) (Ernst & Yett, 1985: 21-22). In addition, there is evidence indicating that over half of all medical school students switch their intended specialty during the medical school years (Ernst & Yett: 22). Medical education, after all, maintains a generalist orientation, with students exposed to a variety of different practice areas during their rotations. Thus, it is quite natural to suspect there will be continued change during the early part of physicians' professional development.

Several studies have considered the question of specialty change among medical graduates. Shaw et al. (1996) document substantial rates of career mobility among physicians in the Canadian province of Saskatchewan, but do not analyze these patterns in detail. For example, they do not report the ages at which these changes were made, nor do they indicate which fields grew in-size and which declined. Bunegener and Paicheler (1994) examine the social origin of French physicians, and provide a brief overview of specialty changes as well. Monk and Terris (1956), Weiskotten et al. (1961) and Weiss (1971) reported specialty changes among the medical graduates from the classes of 1915 through 1950. The principle concern in these investigations was the rate at which physicians were leaving general practice and entering specialized practice.

Holden and Levit (1978) found that 16% of a sample of medical school graduates from 1960, 1964 and 1968 changed their self-designated field of practice between 1971 and 1976. Eight percent of the 1960 cohort changed specialties during this period, as did 11% of the 1964 cohort and 29% of the 1968 cohort. Seven broad fields were considered in that analysis: internal medicine, pediatrics, general/family practice, obstetrics and gynecology, medical sub-specialties, surgical specialties, and other. Their inquiry focused on the outflow of physicians from primary care specialties. Erdmann, Jones and

Tonesk (1978) were for the most part concerned with the social psychological correlates of eventual specialty choice, but they also reported rates of mobility across ten major specialties for 1960 medical graduates.

The influential Graduate Medical National Advisory Committee (GMENAC) reports made efforts to incorporate the specialty changes of physicians during graduate medical training and during the early career stages in their model of physician supply. The GMENAC projections of specialty supply are based on a demographic model which reflects the number of physicians currently practicing in a specialty, plus the number of projected new entrants, minus the number projected to leave medicine through death or retirement. Yet, the assumption underlying the GMENAC model is that, after an initial shake-out period, physicians remain in their chosen specialties (GMENAC, 1981a; b). The discussion of the GMENAC approach to physician career mobility is worth noting:

To predict specialty supply it is essential to incorporate post-GME changes. These changes are included on Table IV.2, which summarizes residency input specialty output distribution for the programs studied. Note that the distributions are always the stable percentages of self declared practice specialties reported subsequent to entering practice. Often these distributions have not become stabilized until 10 to 12 years after medical school, that is, as much as 8 years after GME is completed (GMENAC; Vol. 2. 1981: 258).

As we will see, physician career mobility continues well beyond this early period of the physician's career. We conduct a detailed examination of career mobility throughout the physician's professional career.

We build on previous research on specialty changes by physicians in several ways. First, we examine a much larger number of specialties than has previously been done. Holden and Levit (1978) studied movement across seven major fields; previous work was even more aggregated. Our analysis can provide reliable data on a more detailed set of specialties because the data base from which we draw is so large.

Second, we examine the age-profile of career changes of physicians. Previous studies have typically followed up medical school students a certain number of years after graduation. Hold and Levit, for example studied medical graduates 8, 12 and 16 years after graduation. We examine the entire age spectrum of practicing physicians. We can examine whether mobility rates drop sharply after a certain age, or whether a certain level of inter-specialty mobility continues throughout physicians' careers. Third, we examine variation in rates of change across several definitions of specialty. As we will see, moves between fields can be defined in a variety of ways, and the rates of movement observed vary with the precise definition employed. Fourth, we examine physician characteristics and practice settings that influence the rate of

specialty change. Therefore, our results can greatly broaden our understanding of medical careers.

The career mobility of physicians is intimately connected with all aspects of medical staffing levels. An understanding of the rates at which physicians cross specialties is fundamental to our understanding of the physician labor supply. The sensitivity of physicians in mid-career to economic pressures, institutional pressures, technological change and changes in interests and preferences will help us to evaluate how the supply of physicians is likely to adjust to the new economic environment facing the medical delivery system. If, for example, inter-specialty and geographic mobility remain quite high throughout physicians' careers, this may indicate the potential for physicians to adjust quite rapidly by moving from geographic areas and specializations which are saturated. On the other hand, the less career mobility we observe, the less such adaptations can be expected.

Another practical use for this analysis is in the assessment of medical education programs. The rates of specialty mobility can be thought of as an outcome measure for the medical education system. A number of studies have explored the persistence rates of students graduating from particular residency programs (Colwill et al., 1997) and in particular specialties (Perez et al., 1997). A comprehensive analysis of persistence rates across the spectrum of fields will provide a baseline against which the results of such studies can be compared.

Mobility and Age

There are many reasons to expect mobility to decline with age. From an economic point of view, the opportunity cost of change increases, as physicians' income rises in their increasingly established practices. Moreover, investing in new skills declines in attractiveness with age, as the time for return on investment diminishes. From a social-psychological point of view, the attachment of individual physicians to their choices should increase with time, and consequently physicians should become less inclined to make significant career departures as they grow older.

There are also social-structural reasons that would predict declining rates of mobility. The opportunity to change specialties may diminish with age due to diminished contacts with other specialties, along with diminished access to new training programs. This should be particularly true as physicians move from hospital-based residency programs to office-based practices. All these reasons lead to the following predictions:

Hypothesis 1. Mobility across specialties and the acquisition of new board certifications should be a downward sloping curve throughout the active professional careers of physicians.

On the other hand, there are also good reasons to expect mobility to continue with age. Medical practice is constantly changing. New procedures are developed while others fall into disuse. Staying in place requires change, as does movement to a new field. There may consequently be some minimum degree of movement which continues among older physicians.

Change is ubiquitous in medicine, and in this way medicine resembles the U.S. economy as a whole. Our economic system is a dynamic one, with no guarantees and a constant degree of flux. After steep declines at early ages, a degree of occupational mobility may continue throughout most of the life course. Another possibility, then, is that the age profile of physicians' career mobility may resemble that of inter-occupational mobility among workers in the rest of the labor force. This reasoning leads us to our second hypothesis, which is in partial competition with our first hypothesis.

Hypothesis 2. Physicians' movement between specialties declines with age until reaching a constant level.

An additional reason to expect continued inter-specialty mobility at relatively late ages is that there is substantial overlap between fields. The boundaries between specialties are often a bit fuzzy, and a given physician's practice may straddle two fields. Physicians may be reporting that they have changed their specialty when in fact they really changed the emphasis of their practice from one of their areas of specialty to another. Indeed, over one third of physicians in this analysis (36.3%) report having a second specialty. It would not be surprising to see such changes in emphasis occurring at relatively late ages. This reasoning leads us to our third hypothesis:

Hypothesis 3. Changes in emphasis that occur within a physician's existing repertoire of practice areas contribute to continuing mobility at older ages.

A focus on the specific attributes of particular fields of practice may give us further insight into patterns of specialty change. Some fields of practice may be "high burnout" fields – fields that are extremely physically and emotionally draining. For example, a specialty such as emergency medicine may be difficult to practice day after day for many years (Gallery et al., 1992; Keller & Koenig, 1989; Hall et al., 1992). The existence of a number of high turnover fields might contribute to continued turnover throughout physicians' careers.

Other fields may experience increased mobility with age. Some types of practice require physicians to perform many delicate procedures, and some

older physicians might worry that they have "lost their touch" (Green, 1988). For example, some especially delicate fields of surgery may experience attrition of older physicians. The lifestyle requirements of some specialties may also become increasingly burdensome as physicians age (Hardy, 1986; 302). For example, the field of obstetrics often involves waking up in the middle of the night to deliver a baby. It may be that some physicians tire of this after many years and shift their practice into related fields.

These considerations might lead physicians to retire early, were it not for the presence of fields which allow for relatively easy entry at later ages. It may be that some fields, such as general practice, with few specific entry requirements, enable physicians to switch fields while continuing to practice. We would expect few, if any, older physicians to move into neurological surgery, with its multiple certification requirements, while movement into general practice and other fields might be more common. This reasoning leads us to a fourth hypothesis:

Hypothesis 4. The age profile of mobility varies by specialty. We expect high burnout, procedurally intensive and lifestyle-challenging fields to lose physicians at later ages, while fields with limited certification requirements should receive the disproportionate share of new entrants at later ages.

Individual Correlates of Career Mobility

We estimate a logistic regression model of specialty change in order to identify those factors that promote or inhibit mobility. We divide factors into four categories: educational investments, practice type, practice location and individual attributes. As far as the level of investments is concerned, we expect that board certification should reduce physicians' propensity to change fields.

We explore the influence of medical schools on mobility by examining whether graduates of foreign medical schools change fields more than graduates of American medical schools. We expect no difference in mobility patterns between graduates of foreign and U.S. medical schools.

We expect that practice type may have significant effects on the likelihood of changing specialties. Physicians located in private practice should be less likely to change specialties, due in part to sunk costs in practice and in part to less exposure to other practices. In contrast, physicians whose practices are located in hospital settings should have more exposure to other types of practice than their own, and more opportunity to move.

Finally, we explore whether women have higher or lower rates of mobility than their male counterparts. While it is well established that women are concentrated in different specialties from men (Frank et al., 1997; Council on

Graduate Medical Education, 1995) the question here is whether they are more or less likely to move between specialties. We expect that women physicians will be more likely than men to change specialty because they are younger than men, on average (because women's entry into medicine is a relatively recent phenomenon). However, we expect that, after age, practice location and other factors affecting mobility rates are controlled, that there will be no gender differences in mobility.

Data

The data for this study were obtained from the American Medical Association Physician Masterfile, the most comprehensive body of physician and medical student data in the United States. It contains information on all physicians (M.D.s) whether or not they are members of the AMA, including graduates of United States medical schools who are temporarily practicing abroad and graduates of foreign medical schools (FMGs) who have met U.S. educational standards for recognition as physicians (Wunderman, 1979).

The AMA Physicians Masterfile actually consists of two connected files. Upon admission to medical school, or, in the case of FMGs, upon entry into the United States, a file is initiated on each physician. Initial data entered on the physician's record include selected demographic variables, such as sex, date of birth, medical school, and year and state of graduation. Information on such matters as residency training, state licensure, and board certification, which are not subject to constant change, become part of the historical portion of the Masterfile.

The current portion of the Masterfile, commonly referred to as the Physicians' Credentials Update, is based on a rotating census in which approximately one third of all physicians are surveyed each year (Pasko & Seidman, 1999). The data in this file identify physicians' major professional activities including patient care (office or hospital based) and non-patient care activities such as administration, medical teaching, and research. Physicians are asked to designate their primary and secondary specialization. The primary specialty reflects the area in which the doctor devotes the majority of his or her professional time (Eiler, 1984).

The analysis we planned required data from both the historical and current portions of the AMA Physician Masterfile. Thus, a match of historical and contemporary data concerning physicians was created. A second match was undertaken, in order to obtain contemporary data for both 1994 and 1998.

A comparison of contemporary data on practicing physicians in 1994 and 1998 forms the basis for the analysis in this study. A cohort of 510,275

physicians was created from the 723,387 physicians in the Masterfile in 1994 and 1998.

To identify physicians who were practicing in both 1994 and 1998 with accurate measures on essential variables, we undertook the following four selection procedures. First, we excluded physicians who had inconsistent data regarding their sex or birth year ($n=5,321$). Then, we excluded physicians from the 1994 sample who were labeled as: residents (99,907), inactive (2302), retired (43 229) semi-retired (8474), disabled (1037), temporarily not in practice (3093), inactive for other reasons (2665), and "no classification" (23 611). Next, we removed physicians who were classified in the 1998 file as: students of any kind (6561), retired (9630), semi-retired (1831), temporarily not in practice (329), inactive (14), disabled (153), inactive for other reasons (1062) and "no classification" (448). Finally, we removed all physicians whose primary specialty was classified as "flex resident" (176) or unspecified (3269) in either 1994 or 1998.

Defining Specialty Change

In discussing rates of movement across specialties, we must be careful in defining a change in specialty. There are three potential sources of confusion. First, we must define the specialties across which mobility will be computed. The AMA Masterfile includes data on 156 self designated specialties, yet for certain purposes a more aggregated list of fields may be more appropriate. The rate of mobility we observe will vary with the number of specialties employed. The more detailed the list of specialties, the greater the rate of change. For example, if a detailed list of specialties is employed, movement from oncology to immunology would constitute a change in specialty. On the other hand, if all sub-specialties within internal medicine were aggregated into one category, the above example would not be designated as a change in practice.

A second complication in the definition of specialty change stems from the fact that the AMA Masterfile contains physicians' first and second specialties. Some physicians who changed their primary specialty between 1994 and 1998 may have switched to a field which was their secondary specialty in 1994. In other words, a physician may have increased the time he or she spends on a secondary specialty so that it is now the primary specialty. We must decide whether to include such cases in our definition of a specialty change

Finally, some changes constitute sub-specialization while other moves are to different fields, although there may be many linkages in the nature of the practice. We may want to consider cases of sub-specialization, such as moves from general surgery into cardiovascular surgery, as distinct from moves

between unrelated specialties, such as a change from radiology to dermatology.

Rather than settle for a particular definition of specialty change, we have chosen to report the rates of mobility obtained when several different definitions of mobility are employed. We use three sets of specialties, ranging from detailed to intermediate to broad. The detailed specialties correspond to the 156 self-designated specialties reported on the AMA. The intermediate specialties correspond to the 40 specialties reported in most AMA publications. Finally, the fifteen broad fields represent broad areas of medical practice: general practice, surgery, internal medicine, neurology, obstetrics and gynecology, pathology, pediatrics, psychiatry, radiology, medical genetics, preventive medicine and other. The last of these categories, "other" is quite small, representing only 1.9% of the physicians in the sample.¹

Another way of classifying moves contrasts two types of mobility: (a) complete specialty change, and (b) change in emphasis. We define a complete specialty change as the adoption of a first specialty in 1998 which differed from his or her primary and secondary specialty in 1994. A change in emphasis occurs when the physician's new primary specialty in 1998 is the same as his or her secondary specialty in 1994. In this case, the physician is devoting more time to an area already within his or her area of practice, with a secondary area of specialization now overshadowing a former principal interest. A change in emphasis represents an evolution of a physician's practice. It is consequently useful to distinguish this type of change from instances of complete specialty change.

A final measure of change is sub-specialization. Given the importance of specialization in modern medicine, we felt this type of movement deserved a separate measure. Appendix Table 1 indicates fields and their corresponding sub-specialties. For example, a general surgeon who moved to thoracic surgery would constitute a case of sub-specialization by this definition, as would an orthopedic surgeon who moved to orthopedic spine surgery.

RESULTS

1. An Overview of Specialty Change

Table 1 presents data on the rate of inter-specialty mobility by age. The rate of mobility varies with the definition of fields. The more detailed the units, the more movement is observed. Between 1994 and 1998 1.1% of physicians reported switching among the fifteen broad areas of practice. When the 40

Table 1. Rates of Inter-specialty Mobility, For Broad, Intermediate, and Detailed Specialty Classifications, 1994–1998.

	Total	Completely New Field	Change in Emphasis
A. 15 Major Fields	1.1	0.7	0.4
B. 40 Intermediate Fields	2.1	1.4	0.7
C. 156 Detailed Fields	3.4	2.8	0.6
Total = Primary Specialty in 1994 differs from Primary Specialty in 1998			
Complete Specialty Change = Primary Specialty Change in 1994 differs from Primary and Secondary Specialties in 1998			
Change in Emphasis = New Primary Specialty in 1994 is the same as the Secondary Specialty in 1998			

intermediate fields of specialization are employed as the units of analysis, a total of 2.1% of physicians reported new principal specialties. Finally, when mobility across 156 detailed specialties is examined, a total of 3.4% of physicians reported a new specialty in 1998 compared with four years earlier. The level of movement across detailed specialties is one-third higher than movement across intermediate fields (3.4 vs. 2.1). Less than half (1.1 of 3.4) of the changes in this period crossed the fifteen broad specialties, such as a move from pathology to radiology, with the balance consisting of moves within these major areas, such as a switch from immunology to oncology, both of which are sub-specialties within internal medicine.

A second approach to analyzing moves compares complete specialty changes with changes in emphasis. The former involves a switch to previously unmentioned fields, while the latter involves changing the principal specialization to a field previously listed as a secondary field. Complete change in specialty accounts for roughly four-fifths of all specialty changes; change in emphasis account for the remaining one-fifth. For example, 2.8% of physicians moved to a completely new detailed specialty, while another 0.6% changed emphasis among their existing repertoire of specializations. This pattern holds true irrespective of whether broad, intermediate or detailed units are examined.

Sub-specialization constitutes just over one quarter of the mobility we have documented: 0.8% of physicians moved into a sub-specialty as defined in Appendix 1, compared with 3.4% changing detailed specialties. Thus, the trend

toward increasing specialization and sub-specialization in medicine is not sufficient to account for the rates of career mobility we observe.

In summary, physicians are not completely locked into their specialties but do occasionally change fields of practice. They are more likely to switch to a related field within their broad area of expertise than to jump across the chasms that represent major divisions. Some move incrementally by changing emphasis within a preexisting set of interests, but these changes in emphasis constitute the minority of moves.

While these are relatively low rates of change for any given point in time, they nonetheless result in a significant cumulative chance that a physician will move at least once during his or her career, as we will document below.

2. Age Patterns of Specialty Change.

We now turn to the age pattern of specialty change. Figure 1 displays the rates of interspecialty mobility by age for three measures of specialty change. Movement across broad intermediate and detailed specialties are depicted. Figure 1 indicates a higher rate of specialty change for young physicians, which declines quickly and then remains relatively stable. For the detailed specialties, the four-year mobility rate declines from 6% at age 30 to 3.3% at age 32. By age 45, 3.2% are still changing specialties. Mobility across the fifteen broad divisions is evident throughout the life course, albeit at a lower level. At age 30, 2.8% of physicians changed their broad fields of practice in a four year period, which declines to 1.1% by age 42 and remains relatively stable thereafter.

We want to stress two prominent findings in Fig. 1. First, the same age profile of change is evident for moves between broad, intermediate and detailed specialties. The three curves have the same shape, and remain roughly proportionate to each other throughout physicians' careers. The extent of movement varies, as discussed above, but the age patterns of mobility are similar for these three measures.

Second, it is notable that physicians continue to change specialties throughout their careers. With the exception of a sharp decline during the early 30s, the rate of specialty change is essentially constant across the age spectrum.

Does the age-profile of specialty changes resemble other patterns of career mobility? In Fig. 2, we compare the rate of specialty change among physicians to occupational switches among professionals. One year retrospective data from the March 1997 Current Population Survey were examined for the non-physician comparison group. Figure 2 presents data for males only, because




Fig. 1. Physician Mobility by Specialty Classification.
Note: Figures represent a three running year average.

the sex composition of the medical profession differs from that of the labor force as a whole.

There are key similarities between these curves. Both demonstrate a relative steep decline at young ages and experience a relative plateau between ages 35 and 65. We do not want to exaggerate the similarities between these curves. First, the occupational data are for a one-year period, while the physician data cover a four-year period. Consequently, the rate of occupational change in the




Fig. 2. Male Physician Mobility Compared to All Professionals.
Note: Figure represents three year running averages of data.

balance of the professional male labor force is much higher than is specialty change among male physicians. Second, the labor force curve has a substantial jump in mobility for those over 65. Apparently, down-shifting among older professionals is an option that some pursue as an alternative to retirement. Still, the similarity in the age profile of mobility is evident through the broad span of the age period of the early thirties through the early sixties.

The results in Figs 1 and 2 provide support for Hypothesis 2, the mobility-plateau hypothesis, and are at odds with the continual decline in mobility predicted by Hypothesis 1. The significance of these findings is brought into sharper relief by comparison with other findings that are more consistent with Hypothesis 1.

Figure 3 depicts the rate of acquisition of new board certification and geographical mobility across state lines. As summarized in Hypothesis 1, one might expect investment in new skills to decline continually with age. One might also expect geographical mobility to decline with age as families become more settled in their practices and communities. Both decline consistently with age without reaching a steady state. The rate of decline slows after age 40, but these types of moves become increasingly uncommon as physicians age.

We find the results in Fig. 3 to be revealing for two reasons. First, they highlight the distinctive age profile of inter-specialty moves. The plateau, or longer tail at higher ages, of specialty moves is distinctive compared with new formal educational investments and with relocations. What might account for the relatively high rate of specialty change at older ages?

As suggested in Hypotheses 3 and 4, certain types of moves might be more common at older ages, and these moves might account for the flat trajectory of movement after age 45. Figure 4 compares the age profiles of changes in




Fig. 3. New Board Certifications Compared to Geographic Moves.

Note: Figures represent a three year running average.




Fig. 4. Changes in Emphasis Compared to All Specialty Changes.

Note: Figures represent a three year running average.

emphasis to complete specialty change. The results indicate a difference between these two types of moves. Changes in emphasis are nearly constant throughout the professional lives of physicians. Entry into a completely new specialty, in contrast, declines until age 33, where it remains relatively stable, fluctuating between 3 and 4%. Complete specialty change declines from 6 percent at age 30 to 3% at age 33. Changes in emphasis, on the other hand, occur at roughly half a percent over a four year period from age 30 until age 70.

The results presented in Figures 1-3 are based on the rates of change over a four year period. We may prefer a measure of the annualized rate of change, i.e., the proportion of physicians who are likely to make each type of change in a one year period. Assuming a constant rate of change over the four year period, we can calculate the annual persistence from any of the results presented in Table 1 in two different ways: by taking 1/4th of the log of the rate of persistence, or by taking the fourth root of the 4 year persistence rate. These procedures produce nearly identical results for these data. We present the results for 1/4th of the log of the persistence rate, a standard demographic tool for estimating annualized, age-specific rates from data with a longer time interval.

The annual rates of change for the total sample during the period studied are as follows: A total of 0.99% of physicians acquired new detailed specialties in one year, 0.61% of physicians entered new intermediate specialties each year, and 0.31% enter new principal major specialties each year.

The annualized rate of change is an attractive measure because of its ease of interpretation. But this measure has another feature: it enables us to calculate the expected number of moves a physician is likely to make between specified ages. The expected number of changes is simply the sum of the annualized age-specific rates of change. For example, if a doctor had a constant 10% chance of moving per year between ages 30 and 39, between these ages he or she could be expected to move 1 time (0.1×10). To apply this procedure to the rate of physician specialty change, we first calculated the annualized rate of change, as described above for single years of age. We then sum the annual rate of change for each single year of age between 30 and 70 in order to calculate the number of moves a physician can expect to make over his or her career. We also report the expected number of moves for physicians from ages 30 through 39, 40 through 49, 50 through 59 and 60 through 70. Note that these figures represent the *expected number of moves, not the proportion of physicians who moved*. The latter can only be estimated by making assumptions about population heterogeneity, i.e. whether there is a small group which is responsible for a disproportionate number of moves. As we do not have complete career history data, we have avoided attempting any estimate of the cumulative proportion of physicians who changed specialties.

The expected number of specialty changes a doctor is likely to make over the course of his or her career is presented in Table 2. The results indicate that, if the rate of mobility during the mid 1990s is held constant over the entire duration of a physician's career, that doctor could expect to change detailed specialties 0.377 times between the ages of 30 and 70. Physicians can expect 0.241 intermediate and 0.123 broad specialty changes over the course of their careers.

The continuity of change of physicians throughout their forties, fifties, and sixties is notable. The data presented in Table 2 indicates that less than half of all changes occur while physicians are in their thirties. More than half of the specialty changes occur while physicians are in their forties, fifties and sixties. For example, just over 25% of doctors moves into new principal detailed specialties (0.101/0.377, or 26.9%), occur by age 39, the balance occur at a nearly even rate over the rest of physicians' careers.

Table 2 also presents the cumulative number of expected moves for a variety of other moves as well. As we have seen, sub-specialization, acquiring a new board certification, and migration between states declines throughout the careers of physicians. In each of these cases, the large preponderance of changes occur by age 40. In contrast, changes in emphasis occur at an essentially even rate throughout doctors' careers, and less than one-fifth of these moves have occurred by age 40.

Table 2. Expected Number of Inter-Specialty Moves of Physicians Based on extrapolation of Age-Specific Mobility Rates.

	Broad Fields	Intermediate Fields	Detailed Fields	New Specialty	Detailed Specialty Change in		Sub-Specialization	New Board Certification	Interstate Moves
					Fields	Emphasis			
Total, 30-70	0.1227	0.2754	0.4306	0.3567	0.0717	0.1065	1.2845	1.2631	
30-39	0.0340	0.0770	0.1160	0.1009	0.0146	0.0420	1.0666	0.6799	
40-49	0.0293	0.0558	0.0912	0.0733	0.0175	0.0186	0.1122	0.2283	
50-59	0.0291	0.0630	0.1029	0.0839	0.0184	0.0190	0.0520	0.1693	
60-69	0.0303	0.0630	0.1116	0.0910	0.0200	0.0256	0.0500	0.1673	
Moves 30-39/30-70	0.2772	0.2798	0.2693	0.2828	0.2033	0.3943	0.8303	0.5383	

3. Exit and Entry Rates by Specialty

Our fourth hypothesis is that career mobility varies by specialty. The data presented in Table 3 will enable us to address this question. Table 3 presents exit and entry rates for each of the thirteen broad fields employed in our

Table 3. Rate of Mobility Across Broad Fields.

	Percent in Field	Percent Leaving	Percent Entering	Net Percent Change
Anesthesiology	5.3 (26892)	0.6917 (186)	0.7474 (201)	0.0558
Dermatology	1.5 (7412)	0.6341 (47)	1.1333 (84)	0.4992
Emergency Medicine	3.3 (16779)	2.9263 (491)	3.8918 (653)	0.9655
General Practice	14 (71514)	1.3452 (962)	1.7982 (1286)	0.4531
Internal Medicine	24.9 (126837)	0.9185 (1165)	0.7064 (896)	-0.2121
Neurology	1.9 (9561)	1.0145 (97)	0.8890 (85)	-0.1255
Obstetrics-Gynecology	6.1 (31275)	0.3933 (123)	0.4764 (149)	0.0831
Pathology	2.9 (14622)	1.1216 (164)	0.5403 (79)	-0.5813
Pediatrics	8 (40846)	1.1507 (470)	1.0258 (419)	-0.1249
Psychiatry	7.2 (36737)	0.4001 (147)	0.4818 (177)	0.0817
Radiology	5.2 (26593)	0.5302 (141)	0.4437 (118)	-0.0865
Surgery	17.3 (88353)	0.6463 (571)	0.5071 (448)	-0.1392
Other	1.9 (9735)	9.6148 (936)	9.6662 (941)	0.0514
Medical Genetics	0 (145)	5.5172 (8)	60.0000 (87)	54.4828
Preventive Health	0.6 (3000)	9.0333 (271)	3.5667 (107)	-5.4666

Note: Percent entering based on total number of specialists in 1994

analyses. We also indicate whether the field experienced a net increase or decrease among practicing physicians.

These data indicate that fields do indeed differ in their turnover rates. Most fields have low exit and entry rates. However, there are some exceptions; most notably, emergency medicine, general practice, preventive health, medical genetics and other have higher rates of both entry and exit. It should also be noted that some fields are net exporters of personnel while others experience net gains in practitioners. For example, dermatology, emergency medicine and general practice all gained physicians, while pathology, internal medicine and surgery all experienced net losses.

Table 4 takes this analysis one step further by displaying exit and entry rates by age for each of the fifteen specialties. The results in Table 4 show that some fields are characterized by declining turnover by age. An example of this pattern is preventive health. Preventive health fits the prediction outlined in Hypothesis 1, namely that mobility declines with age, with declines continuing past age 50. Thus, the expectation that turnover should decline with age does fit some of the medical fields examined.

Some fields experience an increase in exit rates at older ages and even more significantly after age 60. After an initial period of high turnover, surgery turnover stabilizes. It then increases slightly after age 50 and even more significantly after age 60. Anesthesiology and radiology also fit this pattern.

Other fields experience an increase in entry rates at older ages. Most notably, with the exception of an initial high turnover period, the rate at which general practice gains practitioners increases steadily as physicians age.

Table 4 also reveals that whether a field exports or imports physicians sometimes varies by age. Some fields lose physicians who are younger than 40 while gaining older physicians. Other fields, in contrast, gain physicians at early ages and lose them at later ages. Pediatrics loses young doctors while gaining older ones. In contrast, emergency medicine and anesthesiology gain young doctors while losing older ones.

What can account for these shifts? One interpretation of these results is that some fields become harder to enter as one grows older. As we have seen, the propensity to acquire new board certification declines with age. Thus, entry into many fields that require elaborate residency training and board certification may become less attractive to older physicians seeking to change fields. However, these specialties are particularly attractive to young physicians who seek an alternative type of practice. The reverse tends to be true of generalist fields. These tend to lose physicians at early ages, while gaining them at older ages. Generalist fields thus accommodate those physicians who are seeking to

Table 4. Rate of Mobility Across Broad Fields by Age Group.

	Age 30-39	Age 40-49	Age 50-59	Age 60-69
Anesthesiology				
Leaving	0.6717	0.7545	0.5124	1.0045
Entering	0.9631	0.8041	0.4575	0.5952
Net Change	0.2915	0.0496	-0.0549	-0.4092
General Practice				
Leaving	1.4509	1.4676	1.4821	1.0939
Entering	1.6855	1.5816	2.2883	2.0499
Net Change	0.2346	0.1141	0.8062	0.9559
Dermatology				
Leaving	0.8772	0.4389	0.4585	0.7964
Entering	1.7544	1.2070	0.6113	1.0239
Net Change	0.8772	0.7681	0.1528	0.2275
Emergency Medicine				
Leaving	2.3815	2.8184	3.4520	4.7004
Entering	4.7407	3.5500	3.6299	3.5253
Net Change	2.3592	0.7316	0.1779	-1.1751
Internal Medicine				
Leaving	1.1441	0.8285	0.8402	0.9177
Entering	0.7962	0.6465	0.6951	0.7608
Net Change	-0.3479	-0.1820	-0.1451	-0.1569
Neurology				
Leaving	1.3225	0.9307	0.9641	0.8114
Entering	1.4242	0.8327	0.5697	0.7099
Net Change	0.1017	-0.0980	-0.3944	-0.1014
Obstetrics/Gynecology				
Leaving	0.4471	0.3338	0.3432	0.4766
Entering	0.4173	0.5053	0.4884	0.4085
Net Change	-0.0298	0.1714	0.1452	-0.0681
Pathology				
Leaving	1.8474	1.1830	0.7996	1.1694
Entering	0.5348	0.4338	0.6497	0.4149
Net Change	-1.3126	-0.7492	-0.1499	-0.7544
Pediatrics				
Leaving	1.4066	1.1136	1.0832	0.9007
Entering	0.9994	1.0171	1.0718	1.1441
Net Change	-0.4072	-0.0966	-0.0114	0.2434
Psychiatry				
Leaving	0.5198	0.5262	0.2758	0.2311
Entering	0.7425	0.4668	0.4291	0.4622
Net Change	0.2228	-0.0594	0.1532	0.2311

Table 4. Continued.

	Age 30-39	Age 40-49	Age 50-59	Age 60-69
Radiology				
Leaving	0.7032	0.3829	0.5819	0.4887
Entering	0.5181	0.5424	0.4099	0.1527
Net Change	-0.1850	0.1595	-0.1719	-0.3360
Medical Genetics				
Leaving	0.0000	9.5238	2.5641	7.1429
Entering	44.4444	65.07944	51.2821	78.5714
Net Change	44.4444	55.5556	48.7179	71.4286
Surgery				
Leaving	0.7515	0.5305	0.5122	0.7645
Entering	0.5684	0.4900	0.4235	0.5219
Net Change	-0.1831	-0.0405	-0.0887	-0.2426
Other				
Leaving	14.8205	10.6421	10.2058	6.8291
Entering	14.4385	11.8836	9.2196	5.6848
Net Change	-0.3820	1.2416	-0.9863	-1.1443
Preventive Health				
Leaving	16.8044	10.1803	8.9109	6.4103
Entering	8.2645	3.3934	2.2631	3.2967
Net Change	-8.5399	-6.7869	-6.6478	-3.1136

change their practice at older ages but who are unable or unwilling to enter a board-certified specialty.

Another interpretation of these results is that fields which normally require physicians to work as employees, i.e. radiology, anesthesiology, and emergency medicine, experience higher attrition at older ages because these practitioners face incentives and pressures to retire that are not experienced by physicians who own their own practices.

These results offer some support for each hypothesis. Physicians are less likely to change specialties as they grow older, as predicted in Hypothesis 1. Yet, the rate of change reaches a plateau early in life. This result conforms more closely to the prediction in Hypothesis 2. Moves among an existing repertoire of specialties continue throughout physicians' careers, as is predicted by Hypothesis 3. And specialties vary both in the rates of mobility and whether that mobility increases, as is predicted by Hypothesis 4.

4. Determinants of Specialty Change

Table 5 presents the results of a regression analysis designed to predict the rate of change across intermediate (40) specialties. We included two dummy variables to capture the non-linear pattern of movement by age: age less than 36, and age 36–41. The additional variables employed are age at graduation, sex (1 = women), and foreign medical graduate (1 = yes). We also included two dummy variables indicating whether a physician had board certification in 1994. The first variable equals one if the physician had no board certification; the second variable equals one if the physician had one board certification. The reference group is physicians with more than one board certification. In addition, we measured whether a physician acquired a new board certification between 1994 and 1998 (1 = yes), and the type of practice setting in which he or she most commonly worked.

The results indicate mobility does not decline sharply with age as several of our hypotheses predicted. Indeed, the age effect is slightly positive after dummy variables capturing the declines at the earliest ages are included in the analysis. In contrast, older age at graduation failed to be a significant predictor of specialty change.

The model also suggests that being a female and graduating from a foreign medical school are significant predictors of specialty change and thus contradict our initial hypotheses. In the bivariate analysis, female physicians are 73.8% as likely as male physicians to change specialties. In the multivariate analysis, the relationship becomes even stronger; women are 71.8% less likely to change specialties. It may be that men are more willing to take the risks involved in changing specialties and more interested in the additional challenges that specialty change entails. Women, in contrast, may be more careful in selecting a specialty. They may also be less interested in changing specialties if such changes are time consuming and further cut into the time that women physicians wish to spend with their families (Redman et al., 1994). The gender differential in specialty change is intriguing and warrants further scrutiny.

In contrast, foreign medical graduates are more likely to change specialties. The bivariate relationship indicates that foreign graduates are more than 2.5 times more likely to change specialties, while the multi-variate relationship is slightly weaker (odds ratio = 2.44). Often, foreign medical graduates seeking to practice in the United States face restricted choice of residency program. (FMGs must take a U.S. residency in order to practice in this country.) Thus, they may be forced to train in a field which is not their top choice, and, in turn, they may be more likely to change fields later in their careers.

Table 5. The Determinants of Specialty Change

Variable	Bivariate Odds Ratio	Multivariate Parameter	Multivariate Odds Ratio	Bivariate Odds Ratio	Multivariate Parameter	Multivariate Odds Ratio
Intercept		-2.479 (0.12)			-2.2982	
Age	1.005***	0.00863 (0.00)	1.009***	1.006***	0.26 0.0102	1.01***
Age between 36 and 41	1.351***	0.1622 (0.03)	1.176***	1.427***	0.00 0.2374	1.268***
Age less than 36	1.177***	0.191 (0.04)	1.21***	1.253***	0.07 0.2213	1.248*
Age at Graduation	1.005***	-0.0044 (0.00)	0.996	0.993	0.10 -0.0166	0.984*
Female	0.74***	-0.3353 (0.03)	0.715***	0.671***	0.01 -0.4294	0.651***
Foreign Medical Graduate	2.54***	0.8904 (0.04)	2.436***	2.589***	0.07 0.9607	2.614***
No Board Certification	0.274***	-1.528 (0.03)	0.217***	0.27***	0.08 -1.5629	0.21***
One Board Certification	0.148***	-1.9162 (0.03)	0.147***	0.153***	0.07 -1.8673	0.155***
Additional Certification	1.543***	0.2674 (0.04)	1.307***	1.751***	0.06 0.4636	1.59***
Solo Practice or Partnership	0.716***	-0.3072 (0.04)	0.735***	0.754***	0.09 -0.2453	0.782***
Group Practice	0.66***	-0.3513 (0.04)	0.704***	0.699***	0.09 -0.2929	0.746***
Government Clinic or Hospital	1.023	0.0648 (0.05)	1.067	1.055	0.09 0.1048	1.11

Table 5. Continued

Variable	Bivariate Odds Ratio	Multivariate Parameter	Multivariate Odds Ratio	Bivariate Odds Ratio	Multivariate Parameter	Multivariate Odds Ratio
Medical School	0.903*	-0.1288 (0.05)	0.879*	1.123	0.1078 0.11	1.114
No Classification	1.152***	0.1399 (0.04)	1.15***	1.208*	0.173 0.09	1.189*
Other - Patient Care	0.816*	-0.1737 (0.09)	0.841	0.743	-0.2277 0.21	0.796

Note:

Adjusted R Squared = 0.0543

Note: (n = 507333 for all models)

All observations which were missing from the multivariate analysis were excluded from the bivariate analysis

Note:

Adjusted R Squared = 0.0558

Note: (n = 101484 for all models)

All observations which were missing from the multivariate analysis were excluded from the bivariate analysis

The effect of board certification on specialty change is curvi-linear. The odds that a physician without a board certification will change specialties are 21.7% of those for a physician with two or three board certifications. This difference reflects the fact that the lack of board certification limits one's ability to move across specialties. Interestingly, relative to physicians with more than one certification, the odds that a physician with one board certification will change specialties are even less than those for physicians with no certification. Physicians with one board certification are likely to be committed to their specialty. Given the substantial time investment in obtaining a board certification, they appear to be less likely than others to switch fields. However, those with two or more board certifications are more likely to change fields. Perhaps physicians with multiple certifications are somewhat less committed to a particular field. Physicians who acquired an additional board certification between 1994 and 1998 were, not surprisingly, also more likely to change specialty.

Also consistent with the bivariate analysis are the effects of practice location. Physicians in a solo practice or partnership were less likely to change specialty than were those in non-governmental hospital settings (which serves as the reference group for this analysis). Physicians in group practices also demonstrated less relative mobility. This may be due to less opportunity to change specialties. The multi-variate analysis demonstrates that this pattern persists after controlling for age. Results indicate that physicians with practices in government hospitals or clinics may experience slightly higher odds of changing specialty; however the relationship is not significant. In contrast, physicians with practices based in medical schools are also less likely to change specialties, perhaps because of a greater emotional and intellectual commitment to their chosen specialty.

The model only explains a small fraction of the variance in mobility (the proportion reduction in Chi-2 was 0.054). Thus, the rate of inter-specialty change is not explained simply by the demographic and institutional factors we have examined.

SUMMARY

The matched 1994-1998 AMA Masterfile data have allowed us to explore a wide range of issues pertaining to the inter-specialty mobility of physicians. We have documented significant rates of inter-specialty change: 3.4% of physicians changed their detailed specialties over a four year period. Further, physicians can expect to change their detailed specialty at least 0.38 times during their career. We have documented the age pattern of these career changes: the entry

into new fields declines until physicians are in their forties, after which the rates of mobility remain remarkably constant over time.

The study documents the variation in mobility rates across specialties. Some fields, such as surgery, are net exporters of practitioners, while others, such as dermatology, are net importers. The age pattern of mobility also varied by field. For example, the rate of entry into emergency medicine was roughly constant across age groups, while the rate of entry into general practice increased with age.

We also explored individual heterogeneity in mobility patterns. Foreign medical graduates, those with practices located in institutional settings, those with multiple board certificates, and those acquiring new certificates are more likely to change specialties than other physicians.

The implication of these changes for the supply of physicians in particular fields are documented. Broad fields are only marginally affected by the career mobility of physicians, but the size of many of the intermediate fields are more substantially affected by the inflow and outflow of physicians during their careers. These rates of change must be acknowledged and incorporated into new estimates of the medical labor force.

These results underscore the need for further attention to physicians' careers. It will be fascinating to see how these patterns evolve as the medical profession adapts to the new political and economic environment. It will be useful to examine these changes with a broader range of measures, including HMO affiliation.

The analyses presented here suggest that stratification theory and research need to be broadened to tap mobility patterns occurring within occupations. The results presented for the medical profession are likely to generate hypotheses for further inquiry. For example, if changes of specialization occur even within the confines of a highly technical and regulated profession such as the medical profession, we would expect that changes in specialization would be likely to occur with greater frequency in many other fields with fewer barriers to mobility.

These analyses also suggest the need to develop ways of measuring hierarchy within professions. Can the mobility patterns described here arrayed in terms of the stratification of specialties? Are moves from lower-status fields to higher-status fields more difficult than is downward mobility? Answering questions like these would involve further analyses beyond the scope of this paper, and might well require the availability of additional independent measures of specialty status. The analyses conducted thus far set the stage for further inquiries into the career dynamics and stratification processes within the medical profession and other technical arenas.

NOTE

1. It is comprised of aerospace medicine, occupational medicine, addiction medicine, legal medicine, medical management, clinical pharmacology, palliative medicine, pain medicine, sleep medicine and "other specialty".

ACKNOWLEDGMENTS

The assistance of Samuel H. Preston on the demographic aspects of this chapter is greatly appreciated. This research was funded in part by a grant from the University of Pennsylvania Aging Research Center (PARC).

REFERENCES

- American College of Physicians. (1994). A National Health Work Force Policy. *Annals of Internal Medicine*, 121, 542-546.
- Blau, P., & Duncan, O. D. (1967). *The American Occupational Structure*. New York: Free Press.
- Christakis, N. A., Jacobs, J. A., & Messikomer, C. M. (1994). Change in Self-Definition from Specialist to Generalist in a National Sample of Physicians. *Annals of Internal Medicine*, 121(9), 669-675.
- Cohen, J. J., & Todd, J. S. (1994). Association of American Medical Colleges and American Medical Association Joint Statement on Physicians Workforce Planning and Graduate Medication Education Reform Policies. *Journal of the American Medical Association*, 272(9), 712-713.
- Colwill, J. M., Perkoff, G. T., Blake, R. L., Paden, C., & Beachler, M. (1997). Modifying the Culture of Medical Education: The First Three Years of the RWJ Generalist Physician Initiative. *Academic Medicine*, 72(9), 745-753.
- Council on Graduate Medical Education (COGME). (1995). *Women and Medicine*. Rockville, MD: Department of Health and Human Services, Public Health Service, Health Resources and Services Administration.
- Council on Graduate Medical Education (COGME). (1992). *Improving Access to Health Care through Physician Workforce Reform: Directions for the 21st Century*. Rockville, MD: Department of Health and Human Services, Public Health Service, Health Resources and Services Administration.
- Eiler, M. A. (1984). *Physician Characteristics and Distribution in the United States*. 1983 Edition. Chicago: American Medical Association.
- Erdmann, J. B., Jones, R. F., & Tonesk, X. (1978). *AAMC Longitudinal Study of Medical School Graduates of 1960: A 20 Year Effort in 28 Schools, 1956-1976*. Washington, D.C.: American Association of Medical Colleges.
- Erikson, R., & Goldthorpe, J. H. (1992). *The Constant Flux: A Study of Class Mobility in Industrial Societies*. Oxford, England: Oxford University Press.
- Ernst, R. L., & Yett, D. E. (1985). *Physician Location and Specialty Choice*. Ann Arbor, MI: Health Administration Press.
- Evans, M., & Laumann, E. O. (1983). Professional commitment: myth or reality. *Research in Social Stratification and Mobility*, 2, 3-40. JAI Press.
- Featherman, D., & Hauser, R. (1978). *Opportunity and Change*. New York: Academic Press.

- Frank, E., Rotherberg, R., Brown, W. V., & Maibach, H. (1997). Basic Demographic and Practice Characteristics of U.S. Women Physicians. *Western Journal of Medicine*, 166(3), 179-184.
- Ginzberg, E. (1996). The Future Supply of Physicians. *Academic Medicine*, 71(11), 1147-1153.
- GMENAC. (1981). *Summary Report of the GMENAC*. Vol. 1. U.S. Department of Health and Human Services, Public Health Service, Health Resources Administration, Office of Graduate Medical Education. Washington, D.C.: U.S.G.P.O.
- GMENAC. (1981). *Modelling, Research and Data Technical Panel*. Vol. 2. U.S. Department of Health and Human Services, Public Health Service, Health Resources Administration, Office of Graduate Medical Education. Washington, D.C.: U.S.G.P.O.
- Holden, W. D., & Levit, E. J. (1978). Migration of Physicians from One Specialty to Another: A Longitudinal Study of U.S. Medical School Graduates. *Journal of the American Medical Association*, 249 (January 16), 205-209.
- Hutt, R. et al. (1983). The timing of and reasons for doctor's career decisions. *Health Bulletin* (Edinburgh) 39(3), 173-181.
- Lorber, J. (1984). *Women Physicians: Careers, Status and Power*. New York: Tavistock.
- Monk, M. A., & Terris, M. (1956). Factors in student choice of general of specialty practice. *New England Journal of Medicine*, 255 (December 13), 1135-1140.
- Mutha, S., Takayama, J. I., & O'Neil, E. H. (1997). Insights into Medical Students' Career Choices Based on Third- and Fourth-year Students' Focus-Group Discussions. *Academic Medicine*, 72(7), 635-640.
- Pasko, T., & Seidman, B. (1999). *Physician Characteristics and Distribution in the U.S.* Chicago, IL: American Medical Association.
- Perez, J. C., Brickner, P. W., & Ramis, C. M. (1997). Preparing Physicians for Careers in Primary Care Internal Medicine: 17 Years of Residency Experience. *Bulletin of the New York Academy of Medicine*, 74(1), 20-29.
- Ramsdell, J. W. (1983). The timing of career decisions in internal medicine. *Journal of Medical Education*, 58(7), 547-554.
- Redman, S., Saltman, D., et al. (1994). Determinants of career choices among women and men medical students and interns. *Medical Education*, 28(5), 361-371.
- Rivo, M. L., & Kindig, D. A. (1996). A Report Card on the Physician Work Force in the United States. *New England Journal of Medicine*, 334(14), 892-896.
- Rosenfeld, R. (1992). Job Mobility and Career Processes. *Annual Review of Sociology*, 18, 39-61.
- Shaw, S., Goplen, G., & Houston, D. S. (1996). Career Changes Among Saskatchewan Physicians. *Canadian Medical Association Journal*, 154(7), 1035-1038.
- Weiskotten, H. G., Wiggins, W. S., Altenderfer, M. E., Gooch, M., & Tipner, A. (1961). Changes in Professional Careers of Physicians: An Analysis of a Resurvey of Physicians who Were Graduated from Medical College in 1935, 1940, and 1945. *Journal of Medical Education*, 36 (November), 1565. 85.
- Weiss, J. E. (1971). Socioeconomic and technological factors in trends of physicians to specialize. *HSMHA Health Reports*, 86 (January), 46-51.
- Wunderman, L. E. (1979). *Physician Distribution and Medical Licensure in the United States, 1978*. Chicago: American Medical Association.

Appendix Table 1 Detailed, Intermediate and Broad Specialties.

Broad Fields (15)	Intermediate Fields (40)
Detailed Fields (156)	
1 Anesthesiology	
Detailed Fields	
1. Anesthesiology	1. Anesthesiology
2. Anesthesiology-Pain Management	
3. Anesthesiology-Critical Care	
2 Dermatology	
Detailed Fields	
1. Dermatology	2. Dermatology
2. Dermatology - Diagnostic Lab	
3 Emergency Medicine	
Detailed Fields	
1. Emergency Medicine	3. Emergency Medicine
2. Emergency Sports Medicine	
3. Emergency Medical Toxicology	
4. Pediatric Emergency Medicine (1)	
5. Pediatric Emergency Medicine (2)	
4. General Practice	
Detailed Fields	
1. General Practice	4. General Practice
2. Family Practice	5. Family Practice
3. Family Practice - Sports Medicine	
4. Family Practice - Emergency Medicine	
5. Internal Medicine - Pediatrics	6. Internal Medicine - Pediatrics
5 Internal Medicine	
Detailed Fields	
1. Adolescent Medicine	7. General Internal Medicine
2. Critical Care Medicine	
3. Diabetes	
4. Endocrinology	
5. Hematology	
6. Hepatology	
7. Hematology-Oncology	
8. IM - Cardiac Electrophysiology	
9. Infectious Disease	
10. General Internal Medicine	
11. Internal Medicine-Geriatrics	
12. Internal Medicine - Sports Medicine	
13. Nephrology	
14. Nutrition	
15. Oncology	

16. Pulmonary Critical Care Medicine
 17. Rheumatology
 18. Allergy
 19. Allergy and Immunology
 20. Allergy and Immunology Diagnostic Lab
 21. Immunology
 22. Immunology Diagnostic Lab
 23. Cardiovascular Disease
 24. Gastroenterology
 25. Physical Medicine and Rehabilitation
 26. Spinal Cord Injury
 27. Pulmonary Disease
- 6 Neurology**
Detailed Fields
1. Child Neurology
 2. Clinical Neurophysiology
 3. Neurology
- 7 Obstetrics and Gynecology**
Detailed Fields
1. Gynecologic Oncology
 2. Gynecology
 3. Maternal and Fetal Medicine
 4. Obstetrics and Gynecology
 5. Obstetrics
 6. Obstetrics-Critical Care
 7. Reproductive Endocrinology
- 8 Pathology**
Detailed Fields
1. Anatomic Pathology
 2. Blood Banking
 3. Clinical Pathology
 4. Dermatopathology
 5. Hematology-Pathology
 6. Medical Microbiology
 7. Neuropathology
 8. Pathology -Chemical
 9. Pathology -Cytopathology
 10. Pathology-Immunopathology
 11. Pathology -Immunopathology
 12. Pediatric Pathology
 13. Pathology - Anatomical-Clinical
 14. Radioisotopic Pathology
 15. Selective Pathology
 16. Forensic Pathology
8. Allergy and Immunology
 9. Cardiovascular Disease
 10. Gastroenterology
 11. Physical Medicine and Rehabilitation
 12. Pulmonary Disease
 13. Neurology
 14. Obstetrics and Gynecology
 15. General Pathology
 16. Forensic Pathology

9 Pediatrics*Detailed Fields*

1. Adolescent Medicine
 2. Critical Care-Pediatrics
 3. Neonatal-Perinatal Medicine
 4. Pediatrics
 5. Pediatric Allergy
 6. Pediatric Endocrinology
 7. Pediatric Infectious Diseases
 8. Pediatric Pulmonology
 9. Pediatric Medical Toxicology
 10. Pediatric Gastroenterology
 11. Pediatric Hematology-Oncology
 12. Pediatric Diagnostic Lab-Immunology
 13. Pediatric Nephrology
 14. Pediatric Rheumatology
 15. Pediatric Sports Medicine
 16. Pediatric Cardiology
17. General Pediatrics
 18. Pediatric Cardiology
 19. General Psychiatry
 20. Child Psychiatry
 21. General Radiology
 22. Radiation Oncology
 23. Nuclear Medicine
 24. Diagnostic Radiology
 25. Vascular and Interventional Radiology
 26. General Surgery
- 10 Psychiatry**
Detailed Fields
1. Addiction Psychiatry
 2. Psychiatry
 3. Forensic Psychiatry
 4. Psychoanalysis
 5. Geriatric Psychiatry
 6. Child Psychiatry
- 11 Radiology**
Detailed Fields
1. Nuclear Radiology
 2. Radiation Oncology
 3. Nuclear Radiology
 4. Pediatric Radiology
 5. Radiology
 6. NeuroRadiology
 7. Radiological Physics
 8. Diagnostic Radiology
 9. Vascular and Interventional Radiology
- 12 Surgery**
Detailed Fields
1. Abdominal Surgery
 2. Critical Care Surgery
 3. Cardiovascular Surgery
 4. Cardiothoracic Surgery

5. General Surgery
6. Head and Neck Surgery
7. Hand Surgery
8. Pediatric Surgery
9. Surgical Oncology
10. Traumatic Surgery
11. Vascular Surgery
12. Colo-Rectal Surgery
13. Neurological Surgical Critical Care
14. Neurological Surgery
15. Pediatric Neurological Surgery
16. Ophthalmology
17. Ophthalmology – Pediatrics
18. Hand Surgery – Orthopedic Surgery
19. Orthopedics (Foot and Ankle)
20. Orthopedics Musculo-Oncology
21. Orthopedic Pediatric Surgery
22. Orthopedic Surgery
23. Orthopedic Sports Medicine
24. Orthopedic Surgery of Spine
25. Orthopedic Surgery – Trauma
26. Orthopedic Adult Reconstructive Surgery
27. Otolaryngology
28. Otolaryngology
29. Pediatric Otolaryngology
30. Facial Plastic Surgery
31. Hand Surgery – Plastic Surgery
32. Plastic Surgery
33. Thoracic
34. Transplant Surgery
35. Urologic Surgery
36. Pediatric Urology

27. Colo-Rectal Surgery
28. Neurosurgery

29. Ophthalmology

30. Orthopedic Surgery

31. Otolaryngology

32. Plastic Surgery

33. Thoracic Surgery

34. Transplant Surgery

35. Urologic Surgery

36. Preventive Medicine

13 Preventive Medicine

Detailed Fields

1. General Preventive Medicine
2. Public Health
3. Preventive Medical Toxicology
4. Undersea Medicine
5. Public Health – General Preventive Medicine

14 Genetics

Detailed Fields

1. Clinical Biochemical Genetics
2. Clinical Cytogenetics
3. Clinical Genetics
4. Clinical Molecular Genetics
5. Medical Genetics

37. Genetics

15 Other

Detailed Fields

1. Addiction Medicine
2. Legal Medicine
3. Medical Management
4. Other Specialty
5. Pharmacology -Clinical
6. Palliative Medicine
7. Pain Medicine
8. Sleep Medicine
9. Aerospace Medicine
10. Occupational Medicine

38. Other

39. Aerospace Medicine

40. Occupational Medicine

RESEARCH IN SOCIAL STRATIFICATION AND MOBILITY

Series Editor: Kevin T. Leicht

- Volumes 1–3: Edited by Donald J. Treiman and
Robert V. Robinson
- Volumes 4–6: Edited by Robert V. Robinson
- Volumes 7–9: Edited by Arne L. Kalleberg
- Volumes 10–13: Edited by Robert Althauser and
Michael Wallace
- Volumes 14 & 15: Edited by Michael Wallace
- Volume 16: Edited by Kevin T. Leicht
- Volume 17: The Future of Affirmative Action – Edited by
Kevin T. Leicht

RESEARCH IN SOCIAL STRATIFICATION AND
MOBILITY VOLUME 18

RESEARCH IN SOCIAL STRATIFICATION AND MOBILITY

EDITED BY

KEVIN T. LEICHT

Department of Sociology, The University of Iowa, Iowa, USA

2001



JAI
An Imprint of Elsevier Science

Amsterdam – London – New York – Oxford – Paris – Shannon – Tokyo

ELSEVIER SCIENCE Inc.
1601 Avenue of the Americas
New York, NY 10010, USA

Elsevier Science Inc. All rights reserved.

This work is protected under copyright by Elsevier Science, and the following terms and conditions apply to its use:

Photocopying. In the U.S.A.: This publication is registered at the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923. Organizations in the U.S.A. who are also registered with C.C.C. may therefore copy material (beyond the limits permitted by sections 107 and 108 of U.S. copyright law) subject to payment to C.C.C. of the per copy fee of \$05.00. This consent does not extend to multiple copying for promotional or commercial purposes. ISI Tear Sheet Service, 3501 Market Street, Philadelphia, PA 19104, U.S.A., is authorized to supply single copies of separate articles for private use only. Organizations authorized by the Copyright Licensing Agency may also copy material subject to the usual conditions. For all other use, permission should be sought from Elsevier Science Global Rights Department, PO Box 800, 1001 Avenue of the Americas, New York, NY 10010, USA. *fax:* (+44) 1865 853333, *e-mail:* permissions@elsevier.com.
In the rest of the world: Permission to photocopy must be obtained from the copyright owner. Please apply to Elsevier Science Global Rights Department, PO Box 800, 1001 Avenue of the Americas, New York, NY 10010, USA. *fax:* (+44) 1865 853333, *e-mail:* permissions@elsevier.com.

Permissions. In the U.S.A.: This publication is registered at the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923. Organizations in the U.S.A. who are also registered with C.C.C. may therefore copy material (beyond the limits permitted by sections 107 and 108 of U.S. copyright law) subject to payment to C.C.C. of the per copy fee of \$05.00. This consent does not extend to multiple copying for promotional or commercial purposes. ISI Tear Sheet Service, 3501 Market Street, Philadelphia, PA 19104, U.S.A., is authorized to supply single copies of separate articles for private use only. Organizations authorized by the Copyright Licensing Agency may also copy material subject to the usual conditions. For all other use, permission should be sought from Elsevier Science Global Rights Department, PO Box 800, 1001 Avenue of the Americas, New York, NY 10010, USA. *fax:* (+44) 1865 853333, *e-mail:* permissions@elsevier.com.
In the rest of the world: Permission to photocopy must be obtained from the copyright owner. Please apply to Elsevier Science Global Rights Department, PO Box 800, 1001 Avenue of the Americas, New York, NY 10010, USA. *fax:* (+44) 1865 853333, *e-mail:* permissions@elsevier.com.

Electronic Permissions. In the U.S.A.: This publication is registered at the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923. Organizations in the U.S.A. who are also registered with C.C.C. may therefore copy material (beyond the limits permitted by sections 107 and 108 of U.S. copyright law) subject to payment to C.C.C. of the per copy fee of \$05.00. This consent does not extend to multiple copying for promotional or commercial purposes. ISI Tear Sheet Service, 3501 Market Street, Philadelphia, PA 19104, U.S.A., is authorized to supply single copies of separate articles for private use only. Organizations authorized by the Copyright Licensing Agency may also copy material subject to the usual conditions. For all other use, permission should be sought from Elsevier Science Global Rights Department, PO Box 800, 1001 Avenue of the Americas, New York, NY 10010, USA. *fax:* (+44) 1865 853333, *e-mail:* permissions@elsevier.com.
In the rest of the world: Permission to photocopy must be obtained from the copyright owner. Please apply to Elsevier Science Global Rights Department, PO Box 800, 1001 Avenue of the Americas, New York, NY 10010, USA. *fax:* (+44) 1865 853333, *e-mail:* permissions@elsevier.com.

Works Reproduced by Permission. In the U.S.A.: This publication is registered at the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923. Organizations in the U.S.A. who are also registered with C.C.C. may therefore copy material (beyond the limits permitted by sections 107 and 108 of U.S. copyright law) subject to payment to C.C.C. of the per copy fee of \$05.00. This consent does not extend to multiple copying for promotional or commercial purposes. ISI Tear Sheet Service, 3501 Market Street, Philadelphia, PA 19104, U.S.A., is authorized to supply single copies of separate articles for private use only. Organizations authorized by the Copyright Licensing Agency may also copy material subject to the usual conditions. For all other use, permission should be sought from Elsevier Science Global Rights Department, PO Box 800, 1001 Avenue of the Americas, New York, NY 10010, USA. *fax:* (+44) 1865 853333, *e-mail:* permissions@elsevier.com.
In the rest of the world: Permission to photocopy must be obtained from the copyright owner. Please apply to Elsevier Science Global Rights Department, PO Box 800, 1001 Avenue of the Americas, New York, NY 10010, USA. *fax:* (+44) 1865 853333, *e-mail:* permissions@elsevier.com.

Derivative Works. In the U.S.A.: This publication is registered at the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923. Organizations in the U.S.A. who are also registered with C.C.C. may therefore copy material (beyond the limits permitted by sections 107 and 108 of U.S. copyright law) subject to payment to C.C.C. of the per copy fee of \$05.00. This consent does not extend to multiple copying for promotional or commercial purposes. ISI Tear Sheet Service, 3501 Market Street, Philadelphia, PA 19104, U.S.A., is authorized to supply single copies of separate articles for private use only. Organizations authorized by the Copyright Licensing Agency may also copy material subject to the usual conditions. For all other use, permission should be sought from Elsevier Science Global Rights Department, PO Box 800, 1001 Avenue of the Americas, New York, NY 10010, USA. *fax:* (+44) 1865 853333, *e-mail:* permissions@elsevier.com.
In the rest of the world: Permission to photocopy must be obtained from the copyright owner. Please apply to Elsevier Science Global Rights Department, PO Box 800, 1001 Avenue of the Americas, New York, NY 10010, USA. *fax:* (+44) 1865 853333, *e-mail:* permissions@elsevier.com.

Storage or Usage. In the U.S.A.: This publication is registered at the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923. Organizations in the U.S.A. who are also registered with C.C.C. may therefore copy material (beyond the limits permitted by sections 107 and 108 of U.S. copyright law) subject to payment to C.C.C. of the per copy fee of \$05.00. This consent does not extend to multiple copying for promotional or commercial purposes. ISI Tear Sheet Service, 3501 Market Street, Philadelphia, PA 19104, U.S.A., is authorized to supply single copies of separate articles for private use only. Organizations authorized by the Copyright Licensing Agency may also copy material subject to the usual conditions. For all other use, permission should be sought from Elsevier Science Global Rights Department, PO Box 800, 1001 Avenue of the Americas, New York, NY 10010, USA. *fax:* (+44) 1865 853333, *e-mail:* permissions@elsevier.com.
In the rest of the world: Permission to photocopy must be obtained from the copyright owner. Please apply to Elsevier Science Global Rights Department, PO Box 800, 1001 Avenue of the Americas, New York, NY 10010, USA. *fax:* (+44) 1865 853333, *e-mail:* permissions@elsevier.com.

Reproduction of Text. In the U.S.A.: This publication is registered at the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923. Organizations in the U.S.A. who are also registered with C.C.C. may therefore copy material (beyond the limits permitted by sections 107 and 108 of U.S. copyright law) subject to payment to C.C.C. of the per copy fee of \$05.00. This consent does not extend to multiple copying for promotional or commercial purposes. ISI Tear Sheet Service, 3501 Market Street, Philadelphia, PA 19104, U.S.A., is authorized to supply single copies of separate articles for private use only. Organizations authorized by the Copyright Licensing Agency may also copy material subject to the usual conditions. For all other use, permission should be sought from Elsevier Science Global Rights Department, PO Box 800, 1001 Avenue of the Americas, New York, NY 10010, USA. *fax:* (+44) 1865 853333, *e-mail:* permissions@elsevier.com.
In the rest of the world: Permission to photocopy must be obtained from the copyright owner. Please apply to Elsevier Science Global Rights Department, PO Box 800, 1001 Avenue of the Americas, New York, NY 10010, USA. *fax:* (+44) 1865 853333, *e-mail:* permissions@elsevier.com.

Liability. In the U.S.A.: This publication is registered at the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923. Organizations in the U.S.A. who are also registered with C.C.C. may therefore copy material (beyond the limits permitted by sections 107 and 108 of U.S. copyright law) subject to payment to C.C.C. of the per copy fee of \$05.00. This consent does not extend to multiple copying for promotional or commercial purposes. ISI Tear Sheet Service, 3501 Market Street, Philadelphia, PA 19104, U.S.A., is authorized to supply single copies of separate articles for private use only. Organizations authorized by the Copyright Licensing Agency may also copy material subject to the usual conditions. For all other use, permission should be sought from Elsevier Science Global Rights Department, PO Box 800, 1001 Avenue of the Americas, New York, NY 10010, USA. *fax:* (+44) 1865 853333, *e-mail:* permissions@elsevier.com.
In the rest of the world: Permission to photocopy must be obtained from the copyright owner. Please apply to Elsevier Science Global Rights Department, PO Box 800, 1001 Avenue of the Americas, New York, NY 10010, USA. *fax:* (+44) 1865 853333, *e-mail:* permissions@elsevier.com.

© 2001

Congress Cataloging in Publication Data
A record from the Library of Congress has been applied for.

0167-6369(200106)24:6-5624 (Series)

This paper meets the requirements of ANSI/NISO Z39.48-1992 (Permanence of Paper).
Printed in the Netherlands.

CONTENTS

LIST OF CONTRIBUTORS	vii
SPECIAL THANKS TO THE REVIEWERS FOR VOLUME 18	ix
EDITORIAL BOARD	xi
CALL FOR PAPERS	xiii
INTRODUCTION TO VOLUME 18 <i>Kevin T. Leicht</i>	xv
PART I. THE CHANGING REAL AND SYMBOLIC BOUNDARIES OF SOCIAL STRATIFICATION	
SYMBOLIC BOUNDARIES AND THE NEW DIVISION OF LABOR: ENGINEERS, WORKERS AND THE RESTRUCTURING OF FACTORY LIFE <i>Steven Peter Vallas</i>	3
INEQUALITY IN AMERICA: THE CASE FOR POST-INDUSTRIAL CAPITALISM <i>Joel I. Nelson</i>	39
THE MOVEMENT OF PHYSICIANS BETWEEN SPECIALTIES <i>Jerry A. Jacobs, Ann Boulis and Carla Messikomer</i>	63
SUPPORT FOR REDISTRIBUTIVE POLICIES AMONG THE AFRICAN AMERICAN MIDDLE CLASS: RACE AND CLASS EFFECTS <i>George Wilson</i>	97

**PART II. WHO BENEFITS FROM RAPIDLY CHANGING
MARKETS? EVIDENCE FROM DIFFERENT CONTEXTS**

WORKING CLASS WAGES DURING EARLY
INDUSTRIALIZATION: BRAZILIAN EVIDENCE
Jonathan Kelley and Archibald O. Haller 119

REDISTRIBUTION UNDER STATE SOCIALISM: A USSR
AND PRC COMPARISON
Xueguang Zhou and Olga Suhomlinova 163

**PART III. IMMIGRATION, MARGINALIZATION AND
EXCLUSION**

STRATEGIES OF ECONOMIC ENDURANCE: ISRAELI
PALESTINIANS IN THE ETHNIC ECONOMY AND THE
PUBLIC SECTOR
Yuval P. Yonay and Vered Kraus 207

MASS MIGRATION AND LABOR MARKET
INCORPORATION: SOVIET IMMIGRANTS IN ISRAEL
Nancy Weinberg 249

PART IV. MODELLING OCCUPATIONAL MOBILITY

INTERGENERATIONAL MOBILITY OF CLASS AND
OCCUPATION IN MODERN ENGLAND: ANALYSIS OF A
FOUR-WAY MOBILITY TABLE
Yusheng Peng 277

THE INDUSTRIAL CONTEXT OF OCCUPATIONAL
MOBILITY: CHANGE IN STRUCTURE
Robert L. Miller 313

LIST OF CONTRIBUTORS

- Ann Boulis* Department of Sociology, 3718 Locust Walk,
University of Pennsylvania, Philadelphia,
Pennsylvania 19104, USA
- Archibald O. Haller* Department of Rural Sociology, University of
Wisconsin, Madison, Wisconsin, USA
- Jerry A. Jacobs* Department of Sociology, 3718 Locust Walk,
University of Pennsylvania, Philadelphia,
Pennsylvania 19104, USA
- Jonathan Kelley* Economics Program, Institute of Advanced
Studies, Australian National University,
Canberra ACT 0200, Australia
- Vered Kraus* Department of Sociology, University of
Haifa, 31905 Haifa, Israel
- Carla Messikomer* Department of Sociology, 3718 Locust Walk,
University of Pennsylvania, Philadelphia,
Pennsylvania 19104, USA
- Robert L. Miller* Department of Sociology and Social Policy,
The Queen's University of Belfast, Belfast
BT7 INN, Northern Ireland
- Joel I. Nelson* Department of Sociology, 909 Social
Sciences Building, 267 19th Avenue South,
University of Minnesota, Minneapolis,
Minnesota 55455, USA
- Yusheng Peng* Department of Sociology, The Chinese
University of Hong Kong, Shatin, NT, Hong
Kong